

Houston County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q80.AGE 18-24 YEARS	93	7	10.8	(3.7, 18.0)	12.0	51
Q80.AGE 65+ YEARS	93	27	24.0*	(21.0, 27.0)	14.0	2
Q116/Q98. BLACKS	94	3	3.5	(0.2, 38.5)	14.1	35
Q73. FEMALES	94	55	52.6	(51.1, 54.1)	52.5	37
Q113/Q95. HOUSEHOLD INCOME <= \$15,000	88	22	20.3*	(17.8, 22.7)	17.0	48
Q1 .IN FAIR/POOR HEALTH	94	19	15.8	(12.7, 19.0)	17.3	76
Q2 .OFTEN VERY DEPRESSED	94	8	9.7	(5.4, 14.0)	8.9	59
Q9 .HIGH BLOOD PRESSURE EVER	94	33	32.3*	(30.4, 34.2)	25.8	28
Q9 .HIGH BLOOD PRESSURE IN PAST YR	94	11	10.5	(8.2, 12.8)	10.8	68
Q9 .HEART DISEASE EVER	94	10	9.2	(5.1, 13.3)	10.1	76
Q9 .HEART DISEASE IN PAST YR	94	2	1.6	(0.2, 38.5)	3.4	85
Q9 .DIABETES EVER	94	8	9.3	(5.0, 13.6)	8.0	33
Q9 .DIABETES IN PAST YR	94	2	1.8	(0.2, 38.5)	2.5	71
Q9 .STROKE EVER	94	3	2.8*	(2.5, 3.1)	1.9	33
Q9 .STROKE IN PAST YR	94	2	1.7*	(0.9, 2.6)	0.3	6
Q9 .SEIZURE EVER	94	4	4.8*	(2.7, 7.0)	2.2	9
Q9 .SEIZURE IN PAST YR	94	0	0.0	(0.0, 26.5)	0.6	48
Q9 .LUNG DISEASE EVER	94	4	4.4	(3.0, 5.8)	4.7	55
Q9 .LUNG DISEASE IN PAST YR	94	1	1.5	(0.2, 38.5)	1.5	41
Q9 .PNEUMONIA EVER	94	14	12.8	(2.2, 23.5)	19.0	89
Q9 .PNEUMONIA IN PAST YR	94	2	1.0	(0.2, 38.5)	2.6	82
Q9 .TUBERCULOSIS EVER	94	1	0.8	(0.2, 38.5)	0.5	37
Q9 .CANCER EVER	94	7	7.0	(5.5, 8.4)	6.2	42
Q9 .CANCER IN PAST YR	94	3	4.1*	(3.5, 4.6)	1.4	5
Q9 .CHRONIC STOMACH PROBLEMS EVER	94	16	17.0	(11.3, 22.7)	17.5	65
Q9 .CHRONIC STOMACH PROBLEMS IN PAST YR	94	4	4.6	(1.7, 7.5)	5.9	67
Q9 .GALLBLADDER PROBLEMS EVER	94	8	6.5	(0.2, 38.5)	8.2	85
Q9 .GALLBLADDER PROBLEMS IN PAST YR	94	2	1.0	(0.6, 1.5)	1.1	55
Q9 .LIVER PROBLEMS EVER	93	3	1.9*	(1.2, 2.6)	2.9	69
Q9 .LIVER PROBLEMS IN PAST YR	93	2	1.1	(0.2, 38.5)	0.3	16
Q9 .INJURY EVER	94	52	54.2	(41.0, 67.3)	57.3	68
Q9 .INJURY IN PAST YR	94	4	5.4	(0.2, 38.5)	9.3	86
Q9 .HIV/AIDS EVER	94	0	0.0	(0.0, 26.5)	0.1	15
Q9 .JOINT PROBLEMS EVER	93	30	25.8	(21.0, 30.6)	27.7	71
Q9 .JOINT PROBLEMS IN PAST YR	93	14	11.7	(11.2, 12.3)	12.2	54

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Houston County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q9 .KIDNEY DISEASE EVER	94	7	7.2*	(4.8, 9.6)	4.4	14
Q9 .KIDNEY DISEASE IN PAST YR	94	1	1.1	(0.2, 38.5)	1.1	46
Q9 .MENTAL ILLNESS EVER	94	4	4.5*	(3.6, 5.4)	6.1	73
Q9 .MENTAL ILLNESS IN PAST YR	94	2	1.7	(0.2, 38.5)	2.5	70
Q9 .LEARNING PROBLEMS EVER	94	2	2.6	(0.2, 38.5)	2.6	41
Q9 .LEARNING PROBLEMS IN PAST YR	94	0	0.0	(0.0, 26.5)	0.4	42
Q9 .OTHER MAJOR ILLNESS EVER	94	18	18.7	(9.8, 27.6)	16.9	48
Q9 .OTHER MAJOR ILLNESS IN PAST YR	94	4	4.8	(4.5, 5.0)	4.5	48
Q10.EVER INJURED IN TRAFFIC CRASH	94	29	28.6	(21.5, 35.8)	32.1	67
Q10.INJURED IN CRASH IN PAST YR	94	0	0.0	(0.0, 26.5)	2.6	83
Q10.INJURED IN CRASH IN PAST 30 DAYS	94	0	0.0	(0.0, 26.5)	0.3	28
Q11.INJURIES OTHER THAN FROM CRASHES	93	43	46.3	(29.2, 63.4)	61.0	94
Q11.OTHER INJURIES IN PAST YR	93	4	5.4	(0.2, 38.5)	9.2	86
Q11.OTHER INJURIES IN PAST 30 DAYS	93	1	1.1	(0.2, 38.5)	1.7	67
Q12.HAVE ANY KIND OF HEALTH CARE COVERAG	94	86	91.5	(85.3, 97.7)	91.9	51
Q12.PRIVATE INSURANCE PLAN	94	55	60.2	(51.3, 69.0)	65.9	69
Q12.TENNCARE	94	9	10.3	(6.4, 14.3)	11.1	53
Q12.MEDICARE	94	21	20.5*	(14.5, 26.6)	12.5	3
Q12.OTHER TYPE OF INSURANCE	94	4	2.7	(0.2, 38.5)	3.4	50
Q12.SUPPLEMENTAL HEALTH INSURANCE	86	22	21.0	(16.3, 25.8)	25.4	68
Q13.COULD NOT GET MEDICAL CARE PAST YR	93	6	6.9	(4.7, 9.2)	7.6	39
Q14.HAS A USUAL SOURCE OF HEALTH CARE	93	85	92.6*	(85.9, 99.3)	85.2	13
Q15.EVER SEEN A DOCTOR FOR PHYS HEALTH	94	65	69.1	(54.7, 83.6)	70.6	57
Q15.SAW DOCTOR FOR PHYS HEALTH PAST YR	94	29	30.8*	(24.8, 36.7)	37.1	86
Q15.USED EMERG ROOM FOR CARE EVER	94	60	61.4	(44.8, 77.9)	71.5	90
Q15.USED EMERG ROOM FOR CARE IN PAST YR	94	13	14.0	(6.8, 21.3)	19.6	84
Q15.EVER ADMITTED TO HOSPITAL	94	80	85.1*	(84.1, 86.0)	76.2	17
Q15.ADMITTED TO HOSPITAL IN PAST YR	94	11	15.4*	(13.8, 17.0)	10.0	15
Q15.ROUTINE CHECKUP EVER	93	83	89.7	(86.8, 92.6)	90.8	46
Q15.ROUTINE CHECKUP IN PAST YR	93	47	53.2	(49.5, 57.0)	54.6	39
Q17.EVER RECEIVED MENTAL HEALTH TREATMNT	93	7	6.4*	(2.0, 10.7)	11.8	88
Q17.MENTAL HEALTH RX IN PAST YR	93	2	2.0*	(1.4, 2.6)	3.7	71
Q17.EVER ADMITTED FOR PSYCH PROBLEMS	93	3	3.4	(0.2, 38.5)	3.1	30
Q17.ADMITTED FOR PSYCH PROB IN PAST YR	93	0	0.0	(0.0, 26.5)	0.3	29
Q18.EVER ATTEMPTED SUICIDE	94	1	0.6	(0.2, 38.5)	2.4	86

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Houston County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q18.SUICIDE ATTEMPT IN PAST YR	94	0	0.0	(0.0, 26.5)	0.4	30
Q20.EVER DRANK CAFFEINE	94	92	97.9	(73.5,100.0)	98.7	80
Q20.DRANK CAFFEINE IN PAST YR	94	89	94.0*	(92.1, 95.9)	96.7	85
Q20.DRANK CAFFEINE IN PAST 30 DAYS	94	88	93.6	(92.6, 94.6)	94.1	62
Q20.EVER HOOKED ON CAFFEINE	94	22	23.3*	(17.9, 28.8)	29.4	88
Q20.NOW HOOKED ON CAFFEINE	94	19	18.2*	(13.5, 22.9)	23.5	88
Q21.EVER SMOKED 100 CIGARETTES	94	53	56.4	(50.0, 62.8)	51.1	40
Q21.SMOKED IN PAST YR	94	33	33.7	(23.7, 43.7)	30.1	49
Q21.SMOKED IN PAST 30 DAYS	94	32	32.8	(20.7, 44.8)	28.3	41
Q22.EVER USED OTHER KINDS OF TOBACCO	94	22	27.9*	(25.6, 30.2)	23.9	39
Q22.USED OTHER TOBACCO IN PAST YR	94	14	15.9*	(14.1, 17.8)	11.5	24
Q22.USED OTHER TOBACCO IN PAST 30 DAYS	94	12	12.7*	(10.9, 14.6)	8.4	22
Q23.EVER HOOKED ON TOBACCO	93	37	38.1	(30.1, 46.2)	37.2	71
Q23.NOW HOOKED ON TOBACCO	93	28	26.0	(24.4, 27.6)	25.3	64
Q24.EVER DRANK ALCOHOL	94	67	73.9	(67.8, 80.1)	79.5	71
Q24.DRANK ALCOHOL PAST YR	94	38	40.2*	(33.8, 46.5)	52.5	65
Q24.BINGED PAST YR (5+DRINKS)	94	13	12.8	(7.6, 18.1)	15.8	69
Q24.DRANK ALCOHOL PAST 30 DAYS	94	26	27.6*	(20.3, 34.8)	35.9	51
Q24.DRANK ALCOHOL PAST 2 WEEKS	94	22	22.6*	(17.6, 27.6)	28.1	48
Q24.EVER HOOKED ON ALCOHOL	94	5	5.7	(4.2, 7.1)	6.7	53
Q24.NOW HOOKED ON ALCOHOL	93	1	1.1	(0.2, 38.5)	1.0	38
Q25.EVER USED SEDATIVES	94	17	17.0	(15.4, 18.6)	15.8	50
Q25.USED SEDATIVES IN PAST YR	94	6	5.5	(0.2, 38.5)	6.4	63
Q25.USED SEDATIVES IN PAST 30 DAYS	94	5	3.9	(0.2, 38.5)	3.5	53
Q25.EVER USED TRANQUILIZERS	94	19	22.3	(17.9, 26.7)	26.7	69
Q25.USED TRANQUILIZERS IN PAST YR	94	6	7.4*	(7.1, 7.7)	10.7	79
Q25.USED TRANQUILIZERS IN PAST 30 DAYS	94	4	5.1	(0.2, 38.5)	7.4	77
Q25.EVER USED STIMULANTS	94	3	3.2*	(2.9, 3.5)	9.5	95
Q25.USED STIMULANTS IN PAST YR	94	0	0.0	(0.0, 26.5)	1.4	81
Q25.USED STIMULANTS IN PAST 30 DAYS	94	0	0.0	(0.0, 26.5)	0.6	53
Q25.EVER USED PAINKILLERS	94	46	47.4*	(38.4, 56.4)	60.2	90
Q25.USED PAINKILLERS IN PAST YR	94	11	10.7*	(1.5, 19.9)	22.2	94
Q25.USED PAINKILLERS IN PAST 30 DAYS	94	5	3.9*	(0.1, 7.8)	8.4	91
Q26.EVER ABUSED PRESCRIPTION DRUGS	94	7	6.9	(5.4, 8.4)	6.5	31
Q26.ABUSED PRESCRIP DRUGS IN PAST YR	94	0	0.0	(0.0, 26.5)	1.2	59

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Houston County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q26.ABUSED PRESCRIP DRUGS IN PAST 30 DAY	94	0	0.0	(0.0, 26.5)	0.3	32
Q27.EVER HOOKED ON PRESCRIPTION DRUGS	94	2	1.3	(0.2, 38.5)	2.0	61
Q27.NOW HOOKED ON PRESCRIPTION DRUGS	94	1	0.5	(0.2, 38.5)	0.4	35
Q28.EVER USED STEROIDS	94	11	9.9*	(7.6, 12.1)	15.7	85
Q28.USED STEROIDS IN PAST YR	94	2	1.0	(0.2, 38.5)	5.6	94
Q28.USED STEROIDS IN PAST 30 DAYS	94	2	1.0	(0.2, 38.5)	2.2	68
Q28.EVER ABUSED STEROIDS	94	0	0.0	(0.0, 26.5)	0.4	28
Q28.EVER HOOKED ON STEROIDS	94	0	0.0	(0.0, 26.5)	0.2	14
Q28.NOW HOOKED ON STEROIDS	94	0	0.0	(0.0, 26.5)	0.1	8
Q29.EVER USED MARIJUANA	94	26	28.6	(25.8, 31.4)	28.8	32
Q29.USED MARIJUANA IN PAST YR	94	4	3.8	(2.7, 5.0)	5.1	47
Q29.USED MARIJUANA IN PAST 30 DAYS	94	1	1.1	(0.2, 38.5)	2.6	62
Q29.EVER HOOKED ON MARIJUANA	94	1	1.1	(0.2, 38.5)	2.2	59
Q29.NOW HOOKED ON MARIJUANA	94	0	0.0	(0.0, 26.5)	0.5	36
Q30.EVER USED COCAINE	94	7	8.4	(5.2, 11.6)	7.0	27
Q30.USED COCAINE IN PAST YR	94	1	0.4	(0.2, 38.5)	0.8	42
Q30.USED COCAINE IN PAST 30 DAYS	94	0	0.0	(0.0, 26.5)	0.2	22
Q30.EVER HOOKED ON COCAINE	94	0	0.0	(0.0, 26.5)	0.8	54
Q30.NOW HOOKED ON COCAINE	94	0	0.0	(0.0, 26.5)	0.1	11
Q31.EVER USED HEROIN	94	0	0.0	(0.0, 26.5)	0.9	43
Q31.USED HEROIN IN PAST YR	94	0	0.0	(0.0, 26.5)	0.1	5
Q31.EVER HOOKED ON HEROIN	94	0	0.0	(0.0, 26.5)	0.1	12
Q32.EVER USED HALLUCINOGENS	94	5	6.4	(2.4, 10.4)	5.7	29
Q32.USED HALLUCINOGENS IN PAST YR	94	0	0.0	(0.0, 26.5)	0.8	30
Q32.USED HALLUCINOGENS IN PAST 30 DAYS	94	0	0.0	(0.0, 26.5)	0.2	11
Q32.EVER HOOKED ON HALLUCINOGENS	94	0	0.0	(0.0, 26.5)	0.1	11
Q33.EVER USED INHALANTS	94	3	3.4	(0.2, 38.5)	2.1	20
Q33.USED INHALANTS IN PAST YR	94	0	0.0	(0.0, 26.5)	0.2	14
Q33.EVER HOOKED ON INHALANTS	94	0	0.0	(0.0, 26.5)	0.2	14
Q33.NOW HOOKED ON INHALANTS	94	0	0.0	(0.0, 26.5)	0.1	4
Q34.EVER INJECTED DRUG FOR NON-MED REASO	94	0	0.0	(0.0, 26.5)	0.7	49
Q35.EVER DRIVEN AFTER DRINKING	94	39	41.8	(31.0, 52.7)	49.4	64
Q35.DRIVEN AFTER DRINKING IN PAST YR	94	12	14.1	(6.2, 22.0)	12.9	16
Q35.EVER DRIVEN AFTER 5 OR MORE DRINKS	94	26	28.9	(18.1, 39.7)	24.6	29
Q35.DRIVEN AFTER 5 DRINKS IN PAST YR	94	4	3.1	(3.0, 3.3)	3.4	38

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

Houston County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q35.EVER DRIVEN AFTER USING PRESCRIP DRU	94	25	28.4*	(24.5, 32.4)	33.2	73
Q35.DRIVEN AFTER PRESCRIPTION IN PAST YR	94	14	16.1	(13.2, 19.1)	18.1	54
Q35.EVER DRIVEN AFTER USING OTHER DRUGS	94	5	6.5	(2.5, 10.5)	10.7	78
Q35.DRIVEN AFTER OTHER DRUGS IN PAST YR	94	1	1.1	(0.2, 38.5)	3.1	72
Q67.EVER RECEIVED RX FOR ALCOHOL PROBLEM	94	3	2.6	(2.4, 2.8)	2.5	45
Q67.RECEIVED RX FOR ALCOHOL PROB IN PAST	94	0	0.0	(0.0, 26.5)	0.4	45
Q68.EVER RECEIVED RX FOR OTHER DRUG PROB	94	0	0.0	(0.0, 26.5)	1.1	59
Q68.RX FOR OTHER DRUG PROB IN PAST YR	94	0	0.0	(0.0, 26.5)	0.2	17

Source: Community Health Research Group at the University of Tennessee, Knoxville, and Tennessee Department of Health

*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."